



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SUNSPEED MULTI SYNT DPF SAE 5W-30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Motor oil; 60-80% HC-Oil

1.3. Details of the supplier of the safety data sheet

Company name: ROWE Mineralölwerk GmbH

Street: Langgewann 101
Place: D-67547 Worms

Telephone: +49 (0)6241 5906-0 Telefax: +49 (0)6241 5906-999

E-mail: info@rowe-oil.com
Contact person: Product Compliance
E-mail: sdb@rowe-oil.com
Internet: www.rowe-oil.com

1.4. Emergency telephone Ireland: Public (8am-10pm) +353 180 921 66, Healthcare Professionals +353

number: 1809 2566 other Countries: Emergency CONTACT (24-Hour-Number): GBK

GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH208 Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction.

2.3. Other hazards

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII:

Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts.

Special danger of slipping by leaking/spilling product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 2 of 15

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation	(EC) No 1272/2008)		
2241366-04-9	Octadecene, reaction prod	ucts with hexadecene, hydrogena	ted	30 - < 60 %
	832-827-5		01-2120836642-54	
	Asp. Tox. 1; H304			
64742-54-7	Distillates (petroleum), hyd	rotreated heavy paraffinic; Baseoi	l - unspecified	5 - < 15 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil	-based; Baseoil - unspecified	5 - < 15 %
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304	•	•	
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil	-based; Baseoil - unspecified	5 - < 15 %
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304	•	•	
64742-56-9	Distillates (petroleum), solv	vent-dewaxed light paraffinic; Base	eoil - unspecified	1 - < 2.5 %
	265-159-2	649-469-00-9	01-2119480132-48	
	Asp. Tox. 1; H304	·	·	
64742-70-7	Paraffin oils (petroleum), c	1 - < 2.5 %		
	265-174-4	649-477-00-2	01-2119487080-42	
	Asp. Tox. 1; H304			
64742-65-0	Distillates (petroleum), solv	vent-dewaxed heavy paraffinic; Ba	seoil - unspecified	1 - < 2.5 %
	265-169-7	649-474-00-6	01-2119471299-27	
	Asp. Tox. 1; H304	•	•	
84605-29-8	Phosphorodithioic acid, mi	xed O,O-bis (1,3-dimethylbutyl and	d iso-Propyl)esters,zinc salts	0.3 - < 1 %
	283-392-8		01-2119493626-26	
	Skin Irrit. 2, Eye Dam. 1, A	quatic Chronic 2; H315 H318 H41	1	
1190625-94-5	C14-C16-C18 Alkylphenol	e		0.1 - < 0.3 %
	931-468-2		01-2119498288-19	
	Skin Sens. 1, STOT RE 2;			

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 3 of 15

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	c. Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	5 - < 15 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-87-1	276-738-4	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified	5 - < 15 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	5 - < 15 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-70-7	265-174-4	Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
84605-29-8	283-392-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts	0.3 - < 1 %
		4468 mg/kg Skin Irrit. 2; H315: >= 6,25 - 100 Eye Dam. 1; H318: >= 12,5 - 100 l319: >= 10 - < 12,5	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 4 of 15

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Do not breathe mist/vapours/spray.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. When using do not eat, drink or smoke.

Protect skin by using skin protective cream.

Keep away from food, drink and animal feedingstuffs.

Do not breathe vapour.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Motor oil; 60-80% HC-Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 5 of 15

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
-	Mineral Oil pure, highly & severely refined (Inhalable)	-	5		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Bas	seoil - unspecified		
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutra	l oil-based; Baseoil - un	specified	
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	Baseoil - unspecified		
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl	and iso-Propyl)esters,z	inc salts	
Worker DNEL,	long-term	inhalation	systemic	8,31 mg/m³
Worker DNEL, long-term		dermal	systemic	12,1 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	2,11 mg/m³
Consumer DNEL, long-term		dermal	systemic	6,1 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,24 mg/kg bw/day
1190625-94- 5	C14-C16-C18 Alkylphenole			
Worker DNEL,	long-term	inhalation	systemic	1,17 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,3 mg/kg bw/day



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 6 of 15

PNEC values

Secondary poisoning 9,33 mg/kg	CAS No	Substance	
Secondary poisoning 9,33 mg/kg	Environmenta	Il compartment	Value
2623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified 9,33 mg/kg	64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	
9,33 mg/kg	Secondary po	isoning	9,33 mg/kg
Secondary poisoning 9,33 mg/kg	72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	
Secondary poisoning 9,33 mg/kg	Secondary po	pisoning	9,33 mg/kg
Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters, zinc salts Preshwater	64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	
Freshwater 0,004 mg/l Freshwater (intermittent releases) 0,045 mg/l Marine water 0,0046 mg/l Freshwater sediment 0,002 mg/kg Marine sediment 0,002 mg/kg Secondary poisoning 10,67 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l Soil 0,002 mg/kg 1190625-94- C14-C16-C18 Alkylphenole 5- 1 mg/l Marine water 0,01 mg/l Freshwater (intermittent releases) 1 mg/l Marine water sediment 4266,16 mg/kg Marine sediment 426,62 mg/kg Secondary poisoning 3,3 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l	Secondary po	isoning	9,33 mg/kg
Comparison of the sediment Comparison of	84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts	
Marine water 0,0046 mg/l Freshwater sediment 0,022 mg/kg Marine sediment 0,002 mg/kg Secondary poisoning 10,67 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l Soil 0,002 mg/kg 1190625-94- 5 C14-C16-C18 Alkylphenole 5 0,1 mg/l Freshwater 0,1 mg/l Marine water 0,01 mg/l Freshwater sediment 4266,16 mg/kg Marine sediment 426,62 mg/kg Secondary poisoning 3,3 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l	Freshwater		0,004 mg/l
Freshwater sediment 0,022 mg/kg Marine sediment 0,002 mg/kg Secondary poisoning 10,67 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l Soil 0,002 mg/kg 1190625-94- 5 C14-C16-C18 Alkylphenole Freshwater 0,1 mg/l Freshwater (intermittent releases) 1 mg/l Marine water 0,01 mg/l Freshwater sediment 4266,16 mg/kg Marine sediment 426,62 mg/kg Secondary poisoning 3,3 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l	Freshwater (i	ntermittent releases)	0,045 mg/l
Marine sediment 0,002 mg/kg Secondary poisoning 10,67 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l Soil 0,002 mg/kg 1190625-94- 5 C14-C16-C18 Alkylphenole 5- Freshwater 0,1 mg/l Freshwater (intermittent releases) 1 mg/l Marine water 0,01 mg/l Freshwater sediment 4266,16 mg/kg Marine sediment 426,62 mg/kg Secondary poisoning 3,3 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l	Marine water		0,0046 mg/l
Secondary poisoning 10,67 mg/kg	Freshwater se	ediment	0,022 mg/kg
Micro-organisms in sewage treatment plants (STP) 100 mg/l	Marine sedim	ent	0,002 mg/kg
Soil 0,002 mg/kg 1190625-94- C14-C16-C18 Alkylphenole	Secondary po	isoning	10,67 mg/kg
1190625-94- C14-C16-C18 Alkylphenole	Micro-organis	ms in sewage treatment plants (STP)	100 mg/l
Freshwater 0,1 mg/l Freshwater (intermittent releases) 1 mg/l Marine water 0,01 mg/l Freshwater sediment 4266,16 mg/kg Marine sediment 426,62 mg/kg Secondary poisoning 3,3 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l	Soil		0,002 mg/kg
Freshwater (intermittent releases) 1 mg/l Marine water 0,01 mg/l Freshwater sediment 4266,16 mg/kg Marine sediment 426,62 mg/kg Secondary poisoning 3,3 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l	1190625-94- 5	C14-C16-C18 Alkylphenole	
Marine water 0,01 mg/l Freshwater sediment 4266,16 mg/kg Marine sediment 426,62 mg/kg Secondary poisoning 3,3 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l	Freshwater		0,1 mg/l
Freshwater sediment 4266,16 mg/kg Marine sediment 426,62 mg/kg Secondary poisoning 3,3 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l	Freshwater (i	ntermittent releases)	1 mg/l
Marine sediment 426,62 mg/kg Secondary poisoning 3,3 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l	Marine water		0,01 mg/l
Secondary poisoning 3,3 mg/kg Micro-organisms in sewage treatment plants (STP) 100 mg/l	Freshwater sediment 4266,16 i		
Micro-organisms in sewage treatment plants (STP) 100 mg/l	Marine sedim	ent	426,62 mg/kg
	Secondary po	isoning	3,3 mg/kg
Soil 852,58 mg/kg	Micro-organis	ms in sewage treatment plants (STP)	100 mg/l
	Soil		852,58 mg/kg

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection. In fine dispersion/spraying/misting: Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Skin protection

Use of protective clothing. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Avoid release to the environment.



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 7 of 15

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: brown
Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: 0902.B090685
Lower explosion limits: not determined
Upper explosion limits: not determined

Flash point: >210 °C ISO 2592

Auto-ignition temperature: not determined

Decomposition temperature: not determined

pH-Value: not applicable DIN 51369
Viscosity / kinematic: ~ 67 mm²/s DIN 51562

(at 40 °C)

Water solubility: practically insoluble

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: <0,1 hPa calculated.

(at 20 °C)

Density (at 15 °C): $\sim 0.84 \text{ g/cm}^3 \text{ DIN } 51757$

Relative vapour density: not determined Particle characteristics: not relevant

9.2. Other information

Other safety characteristics

Pour point: \sim -36 °C

DIN ISO 3016

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 8 of 15

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-54-7	Distillates (petroleum)	, hydrotreated	l heavy paraffi	nic; Baseoil - unsp	ecified	
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
72623-87-1	Lubricating oils (petrol	eum), C20-50), hydrotreated	neutral oil-based;	Baseoil - unspecified	
	oral	LD50 mg/kg	> 5000	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 mg/kg	> 5000	Rabbit	ECHA Dossier)	OECD Guideline 402
72623-86-0	Lubricating oils (petrol	eum), C15-30), hydrotreated	neutral oil-based;	Baseoil - unspecified	
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
64742-56-9	Distillates (petroleum)	, solvent-dewa	axed light para	affinic; Baseoil - un	specified	
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
64742-70-7	Paraffin oils (petroleur	n), catalytic d	ewaxed heavy	/; Baseoil - unspeci	fied	
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
64742-65-0	Distillates (petroleum)	, solvent-dewa	axed heavy pa	araffinic; Baseoil - u	ınspecified	
	oral	LD50 mg/kg	> 5000	Rat	REACh Dossier	OECD 401
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Dossier	OECD 402
84605-29-8	Phosphorodithioic acid	d, mixed O,O-	bis (1,3-dimet	hylbutyl and iso-Pro	opyl)esters,zinc salts	
	oral	LD50 mg/kg	4468	Rat	ECHA	OECD Guideline 401

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Irritant effect on the skin: none

Frequent and prolonged eye contact may cause eye irritation.



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 9 of 15

Sensitising effects

Based on available data, the classification criteria are not met.

Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Other information

No information available.

Further information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 10 of 15

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2241366-04- 9	Octadecene, reaction pro-	ducts with he	exadecene, l	nydroger	nated		
	Acute fish toxicity	LC50 mg/l	>100	96 h	Danio rerio (zebrafish)	ECHA	
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchneriella subcapitata	ECHA	
	Acute crustacea toxicity	EL50 mg/l	>100	48 h	Daphnia magna (Big water flea)	ECHA	
	Fish toxicity	NOEC mg/l	>=100	34 d	Gobiocypris rarus (Chinese rare minnow)	ECHA	
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna (Big water flea)	ECHA	
64742-54-7	Distillates (petroleum), hy	drotreated h	eavy paraffir	nic; Base	oil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
72623-87-1	Lubricating oils (petroleun	n), C20-50, ł	nydrotreated	neutral o	oil-based; Baseoil - unspe	cified	
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	ECHA Dossier	OECD Guideline 203
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	ECHA Dossier	
72623-86-0	Lubricating oils (petroleun	n), C15-30, h	nydrotreated	neutral o	oil-based; Baseoil - unspe	cified	
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211
64742-56-9	Distillates (petroleum), so	lvent-dewax	ed light para	ffinic; Ba	seoil - unspecified		•
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 11 of 15

	Crustacea toxicity	NOEC mg/l	> 1000		Daphnia magna (Big water flea)	REACh Dossier	OECD 211
64742-70-7	Paraffin oils (petroleum),	catalytic dev	vaxed heavy;	Baseoil	- unspecified		
	Acute fish toxicity	LL50 mg/l	> 100		Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Fish toxicity	NOEC mg/l	>= 1000		Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	
64742-65-0	Distillates (petroleum), so	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LL50 mg/l	> 100		Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203
	Acute crustacea toxicity	EL50 mg/l	> 10000		Daphnia pulex (water flea)	REACh Dossier	OECD 202
	Fish toxicity	NOEC mg/l	>= 1000		Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR
	Algae toxicity	NOEC mg/l	>= 100		Pseudokirchneriella subcapitata	REACh Dossier	OECD 201
84605-29-8	Phosphorodithioic acid, m	ixed O,O-bi	s (1,3-dimeth	ıylbutyl a	nd iso-Propyl)esters,zinc	salts	
	Acute fish toxicity	LL50	4,5 mg/l		Oncorhynchus mykiss (Rainbow trout)	ECHA	OECD Guideline 203
	Crustacea toxicity	NOEC	0,4 mg/l	21 d	Daphnia magna	ECHA	OECD Guideline 211

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	-		•	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	OECD 301B	21 %	28	REACh Dossier	
	Not easily bio-degradable (according to OECD-criteria).	Not easily bio-degradable (according to OECD-criteria).			
72623-86-0	-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified				
	OECD 301F	31 %	28	REACh Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil	- unspecified			
	OECD 301B	31 %	28	REACh Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseo	il - unspecified			
	OECD 301F	31 %	28	REACh Dossier	
	Not easily bio-degradable (according to OECD-criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts	0,56
1190625-94-5	C14-C16-C18 Alkylphenole	> 16000000

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Propyl)esters,zinc salts.



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Product code: 4920125 Revision date: 16.01.2024 Page 12 of 15

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and

lubricating oils; hazardous waste

List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and

lubricating oils; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments





according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 13 of 15

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 14 of 15

Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Eye Dam: Eye damage Skin Sens: Skin sensitisation

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of





according to Regulation (EC) No 1907/2006

SUNSPEED MULTI SYNT DPF SAE 5W-30

Revision date: 16.01.2024 Product code: 4920125 Page 15 of 15

product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)